
24 kV 3150A High quality closed pole epoxy resin embedded poles Vacuum interrupter for vacuum circuit breaker VCB











Overview Quick Details

Place of Origin:

Zhejiang, China

Brand Name:

LEQI

Model Number:

TEP-24/3150/40

Type:

Vacuum

Poles Number:

3

Rated Voltage:

24KV

Rated Frequency:
50Hz

Product name:
Vacuum interrupter for vacuum circuit breaker VCB

Rated voltage:
24KV

Rated current:
3150A

Rated frequency:
50Hz

Breaking capacity:
40KA

Pole:


Product Description

3






























Specification

item	value	
Place of Origin	China	
Place	Zhejiang	
Brand Name	LEQI	
Model Number	TEP-24/3150/40	
Туре	Vacuum	
Poles Number	3	
Rated Frequency	50Hz	
Product name	Vacuum interrupter for vacuum circuit breaker	
	VCB	
Rated voltage	24 KV	

Rated current	3150A	
Rated frequency	50Hz	
Breaking capacity	40KA	
Pole	3	
Main Techical Data:		
Rated Voltage:		24KV
Rated current:		3150A
Rate frequency:		50HZ
Rated short-time power frequency withstand voltage(1min)		65KV
Rated lighting implus withstand current		125KV
Rated short-circuit breaking current		40KA
Breaking operations of rated short circuit breaking current		30 times
Rated short-time withstand current		40KA
Rated short-circuit lasting time		4s
Rated peak withstand current		80/100KA
Rated short-circuit making current		80/100KA
Rated single capacitor bank breaking current *		400/630A
Rated back-to-back cap acitor breaking current		400A
Mechanical life		10000times
Contact closing force due to bellows and atmosphere		230±50N
Counter force at rated contact stroke		350±50N
Contact erosion limit		3mm
Part discharge		≤3pC
Rated operation sequence		O-0.3s-co-180s-co
Mechanical Date Required for Matched Vacuum Switchgear		
Clearance between open contacts		13±1mm
Over travel		3.5±1mm
Average opening speed		1.3±0.2m/s
Average closing speed		0.8±0.2m/s
Rated contact force		4500±200N
contact bouncing duration at closing operation		≤ 2ms
Out of simultaneity of contact closing and opening		≤ 2ms
bouncing back amplitude of opening contact		≤2mm

Packing & Delivery









Product

link

https://www.leqielectric.com/24-kv-3150a-high-quality-closed-pole-epoxy-resin-embedded-poles-vacuum-interrupter-for-vacuum-circuit-breaker-vcb-product/